



- ☒ = Schleifz.
- * = 0.5 mm
- = 0.5x45°
- × = 1 x45°
- = 1.5x45°
- ▽ = 2 x45°
- = R 0.5
- ⊗ = R 1
- = R 1.5
- r = R 2
- R = R 2.5



| joint | air |
|-------|------------------------------|
| DE117 | 2 mm |
| DE34 | 3 mm |
| DE86 | 3 mm (per clips a scatto) |
| DE41 | 5 mm |



| | | | | | |
|---------------|---|----------------------|----------------|---------------|-----|
| OERTLI | MIXTE ALU UNIFORM 500S 64.5/68MM COUPE VERTICALE RAIL LA140C | Maßstab 1:1 | A4 | Gez. 24.08.18 | LA0 |
| | | K-Nr. 1005324 | Gepr. 22.02.19 | K0G | |
| Ers. d.: | | K-Name OE-F. MINAIRE | | | |
| Ers. f.: | | SD 1519683 600 01 A | | | |

- ☒ = Schleifz.
- * = 0.5 mm
- = 0.5x45°
- X = 1 x45°
- = 1.5x45°
- ▽ = 2 x45°
- = R 0.5
- ⊗ = R 1
- = R 1.5
- r = R 2
- R = R 2.5

| joint | air |
|-------|------------------------------|
| DE117 | 2 mm |
| DE34 | 3 mm |
| DE86 | 3 mm (per clips a scatto) |
| DE41 | 5 mm |



OERTLI


Ers. d: .
Ers. f: .

MIXTE ALU UNIFORM 500S 64.5/68MM
COUPE VERTICALE
RAIL 162 / 149C

| | | | | | |
|----------------------------|---------------|-------|----------|----------|-----|
| Maßstab | 1:1 | A4 | Gez. | 24.08.18 | LA0 |
| K-Nr. | 1005324 | Gepr. | 22.02.19 | K0G | |
| K-Name | 0E-F. MINAIRE | | | | |
| SD 1519683 601 01 A | | | | | |



- ☒ = Schleifz.
- * = 0.5 mm
- = 0.5x45°
- X = 1 x45°
- = 1.5x45°
- ▽ = 2 x45°
- = R 0.5
- ⊗ = R 1
- = R 1.5
- r = R 2
- R = R 2.5

| joint | air |
|-------|------------------------------|
| DE117 | 2 mm |
| DE34 | 3 mm |
| DE86 | 3 mm (per clips a scatto) |
| DE41 | 5 mm |



| | | | | | |
|---------------|---|----------------------|----------------|---------------|-----|
| OERTLI | MIXTE ALU UNIFORM 500S 64.5/68MM COUPE VERTICALE RAIL PT163 / 149C | Maßstab 1:1 | A4 | Gez. 24.08.18 | LA0 |
| | | K-Nr. 1005324 | Gepr. 22.02.19 | K0G | |
| Ers. d.: | | K-Name OE-F. MINAIRE | | | |
| Ers. f.: | | SD 1519683 602 01 A | | | |

- ☒ = Schleifz.
- * = 0.5 mm
- = 0.5x45°
- X = 1 x45°
- = 1.5x45°
- ▽ = 2 x45°
- = R 0.5
- ⊗ = R 1
- = R 1.5
- ⌢ = R 2
- R = R 2.5





OERTLI

MIXTE ALU UNIFORM 500S 64.5/68MM
COUPE HORIZONTALE
RECOUVREMENTS CADRE



| | | | | | |
|---------------------|---------------|----|-------|----------|-----|
| Maßstab | 1:1 | A4 | Gez. | 24.08.18 | LA0 |
| K-Nr. | 1005324 | | Gepr. | 22.02.19 | K0G |
| K-Name | OE-F. MINAIRE | | | | |
| SD 1519683 603 01 A | | | | | |

Ers. d: .
 Ers. f: .

- ☒ = Schleifz.
- * = 0.5 mm
- = 0.5x45°
- X = 1 x45°
- = 1.5x45°
- ▽ = 2 x45°
- = R 0.5
- ⊗ = R 1
- = R 1.5
- r = R 2
- R = R 2.5



bouchon LC858



| | | | | | | | |
|---------------|--|---------------------|---------|---------------|----------|----------|-----|
| OERTLI | | Maßstab | 1:1 | A4 | Gez. | 24.08.18 | LA0 |
| | | K-Nr. | 1005324 | Gepr. | 22.02.19 | K0G | |
| Ers.d: . | | K-Name | | OE-F. MINAIRE | | | |
| Ers.f: . | | SD 1519683 605 01 A | | | | | |